

APPROVAL SHEET

Customer Name	:	
Customer P/N	:	
Frequency	: 24.418000	MHz
AKER Approved P/N	: 49MN-024418-F-D4-00	
AKER MPN	: 49MN-024418-F-D4-00	
REVISION	: A0	
ISSUED DATE	: 2023/1/16	

APPROVED	CHECKED	PREPARED
Cornest		Kiku
APPROVED BY CU	JSTOMER	

AKER TECHNOLOGY CO., LTD.

ADDRESS : No.11-3, Jianguo Rd., Tanzi Dist., Taichung City 427, Taiwan

TEL: 886-4-25335978 FAX: 886-4-25336011

Web: www.aker.com.tw

RoHS compliant

	Customer P/N			
	AKER Approved P/N	49MN-02441	8-F-D4-00	
Accurate Kinetic Energy	APPROVED	Earnest	SHEET	1 OF 6
Accurate Kinetic Energy	PREPARED	Kiku	REV.	A0

Revison	Date	Reviser	Revised contents
A0	2023/1/16	Kiku	Initial Released

	Customer P/N			
	AKER Approved P/N	49MN-02441	8-F-D4-00	
Accurate Kinetic Energy	APPROVED	Earnest	SHEET	2 OF 6
, leculate line Energy	PREPARED	Kiku	REV.	A0

HC-49US SMD CRYSTAL SPECIFICATION

1. ELECTRICAL CHARACTERISTICS

(1) Standard atmospheric conditions

Unless otherwise specified , the standard range of atmospheric conditions for making

- measurement and tests are as follow :
 - Ambient temperature : 25±5°C
 - Relative humidity : 40%~70%
- If there is any doubt about the results , measurement shall be made within the following limits : Ambient temperature : $25\pm3^{\circ}C$
 - Relative humidity : 40%~70%
- (2) Measurement Equipment : SAUNDERS 250B (Measured FL)
- (3) Cutting Mode : AT CUT
- (4) Oscillation Mode : Fundamental

Parameters	Symph of	Ele	ctrical S	Specifica	tion	Notes
Parameters	Symbol	Min.	Тур.	Max.	Unit	INOLES
Nominal Frequency	FL	2	4.41800	0	MHz	
Load Capacitance	CL		12		pF	
Frequency Tolerance		-30	2	30	ppm	At $25^{\circ}C \pm 3^{\circ}C$
Frequency Stability		-30	2	30	ppm	Related to 25 °C
Drive Level	DL			100	uW	
Operating Temperature Range		-20	2	70	°C	
Storage Temperature Range		-55	2	125	°C	
Effective Series Resistance	RR			40	Ω	
Shunt Capacitance	C0			7	pF	
Motional Capacitance	C1		N/A		fF	
Ratio Of Capacitance	r		N/A			C0/C1
Aging Rate		-3	2	3	ppm	First Year
Insulation Resistance		500			MOhms	At DC 100V

			Cu	stomer P/N	I						
				ER Appro		I A		J_02441	8-F-D4	-00	
											OE
Accurate	e Kinetic I	Energy		PROVED				nest	SHEE		OF
			PR	EPARED			Ki	iku	REV	•	A0
2 . MARK	AING										
	A24	4.418	8	\backslash	A	AKER	Log	o and F	requenc	сy	
					т	۲	ח 1		1		
	FF	F3a?		/ ←	I	ype ar	nd D	ate Cod	le		
True a	d Data	Cada									
i ype ar F	nd Date	Code]	F		3			a		?	
Oscillatio	n	Lo	ad	Freq	I uency		Date	Code		I Internal	
Mode Coo			itance	-	rance					entificati	on
		Сс			ode					code	
					Jue						
Oscillat	ion Mod	le Code			Frquen	cv Tole	ranc	e Code			
Code		illation M	1ode		Code	Tolera		Code	Tolerar	nce	
F	AT Cu	t / Funda	mental		1	±20 p	pm	6	±50 pp	m	
Т	AT Cu	t / 3rd O	vertone		2	±25 p	pm	9	±10 pp	m	
В	BT Cu	t / Funda	mental		3	±30 p	-	0	±100 pp	pm	
					5	±15 p	pm				
Load C	apacitar	nce Code	,		Date Co	ode					
Code	CL	Code	CL		-		017	2018	2019	2020	
S	Series	P	4				021	2022	2023	2024	
А	16	Q	39			2	025	2026	2027	2028	
В	20	R	12.5		Month	(4)	N+1)	(4N+2)	(4N+3)	(4N+0)	
С	30	Т	8		JAN	ſ	А	N	а	n	
D	18	U	33		FEB		В	Р	b	р	
Е	32	V	7		MAF		С	Q	С	q	
F	12	W	6		APR		D	R	d	r	
G	22	X	17		MAY		E	S	e	S	
H	27 10	Y	8.5		JUN		F	T	f	t	
1 1	10	Z	19.5		JUL	,	G	U	g	u	

Please kindly be noted that AKER DO NOT guarantee parts quality which involves human security application.

AUG

SEP

OCT

NOV

DEC

Η

J

K

L

М

h

j

k

1

m

v

w

Х

y

Z

V

W

Х

Y

Ζ

21.5

24

35

37

а

b

c

d

14

15

25

9

13

J

Κ


L


Μ


Ν


	Customer P/N			
	AKER Approved P/N	49MN-02441	8-F-D4-00	
Accurate Kinetic Energy	APPROVED	Earnest	SHEET	4 OF 6
Accurate Kinetic Energy	PREPARED	Kiku	REV.	A0

3. DIMENSIONS : (Unit : mm)











4. SUGGESTED LAND PATTERN : (Unit : mm)



5. SOLDERING REFLOW PROFILE



	Customer P/N			
	AKER Approved P/N	49MN-02441	8-F-D4-00	
	APPROVED	Earnest	SHEET	5 OF 6
Accurate Kinetic Energy	PREPARED	Kiku	REV.	A0
Accurate Kinetic Energy 6. PACKING : (Unit : mi 6.1 TAPE SPECIFICATION 200 + 0 + 0 + 0 + 0 + 0 + 0 + 0 + 0 + 0	PREPARED n) 1000pcs/reel 4.00 <th></th> <th></th> <th></th>			
	Ø 13.2	25 ± 1.0 28 ± 1.5		
Please kindly be noted that AKER D	O NOT guarantee parts quality v	which involves hun	nan security ap	oplication.

A	KER
Ac	curate Kinetic Energy

Customer P/N				
AKER Approved P/N	49MN-024418-F-D4-00			
APPROVED	Earnest	SHEET	6 OF 6	
PREPARED	Kiku	REV.	A0	

7. RELIABILITY SPECIFICATION

No	Test Item	Test Methods	Performance
1	Drop Test	Free drop from 50 cm height onto a hard wooden board for 3 times	
2	Mechanical Shock	1000 G, 0.5 msec, 3 times for each direction (X, Y, Z)	To satisfy the
3	Vibration	Frequency range : 20 ~ 2000 Hz Amplitude : 1.52 mm / 20G Sweep time : 20 minutes Test time for each direction : 2 Hours (Total 6 Hours)	electrical characteristics
4	Gross Leak	Alcohol, Test Pressure : > -40cm-Hg	No bubbles stream
5	Fine Leak	5 kgf/cm ² Helium bombing for 2 Hours	$\leq 10^{-8}$ atm.cc./sec
6	Solderability	Temperature : $260^{\circ}C \pm 5^{\circ}C$ Immersion time : 5 ± 1 seconds	90% min. coverage of new solder
	Resistance To Soldering Heat High Temperature	Solder pot test Test temperature : $260^{\circ}C \pm 5^{\circ}C$ Test time : 10 ± 1 seconds + $125^{\circ}C \pm 3^{\circ}C$ for 500 ± 12 Hours	
9	Storage Low Temperature Storage	- 55 °C \pm 3 °C for 500 \pm 12 Hours	-
10	Temperature Cycle	Total 100 cycles of the following temperature cycle 1 cycle $125^{\circ} \text{ C} \pm 3^{\circ} \text{ C}$ $25^{\circ} \text{ C} \pm 3^{\circ} \text{ C}$ $-55^{\circ} \text{ C} \pm 3^{\circ} \text{ C}$ $-55^{\circ} \text{ C} \pm 3^{\circ} \text{ C}$ 15 min.	To satisfy the electrical characteristics
11	High Temperature And Humidity	$85^{\circ}\text{C} \pm 5^{\circ}\text{C}$, RH $85\% \pm 5\%$, 500 ± 12 Hours	1