

APPROVAL SHEET

Customer Name	:	
Customer P/N	:	
Frequency	: 25.000000	MHz
AKER Approved P/N	: 49MN-025000-F-D4-02	
AKER MPN	: 49MN-025000-F-D4-02	
REVISION	: A0	
ISSUED DATE	: 2023/1/16	

APPROVED	CHECKED	PREPARED
Cornest		Kiku
APPROVED BY CU	JSTOMER	

AKER TECHNOLOGY CO., LTD.

ADDRESS : No.11-3, Jianguo Rd., Tanzi Dist., Taichung City 427, Taiwan

TEL: 886-4-25335978 FAX: 886-4-25336011

Web: www.aker.com.tw

RoHS compliant

	Customer P/N			
	AKER Approved P/N	49MN-02500	0-F-D4-02	
Accurate Kinetic Energy	APPROVED	Earnest	SHEET	1 OF 6
	PREPARED	Kiku	REV.	A0

Revison	Date	Reviser	Revised contents
A0	2023/1/16	Kiku	Initial Released

	Customer P/N			
	AKER Approved P/N	49MN-02500	0-F-D4-02	
Accurate Kinetic Energy	APPROVED	Earnest	SHEET	2 OF 6
, leculate line Ellergy	PREPARED	Kiku	REV.	A0

HC-49US SMD CRYSTAL SPECIFICATION

1. ELECTRICAL CHARACTERISTICS

(1) Standard atmospheric conditions

Unless otherwise specified , the standard range of atmospheric conditions for making

- measurement and tests are as follow :
 - Ambient temperature : 25±5°C
 - Relative humidity : 40%~70%
- If there is any doubt about the results , measurement shall be made within the following limits : Ambient temperature : $25\pm3^{\circ}C$
 - Relative humidity : 40%~70%
- (2) Measurement Equipment : SAUNDERS 250B (Measured FL)
- (3) Cutting Mode : AT CUT
- (4) Oscillation Mode : Fundamental

Parameters	Symph of	Ele	ctrical S	specifica	tion	Notes
Parameters	Symbol	Min.	Тур.	Max.	Unit	INOLES
Nominal Frequency	FL	2	5.00000	0	MHz	
Load Capacitance	CL		12		pF	
Frequency Tolerance		-30	2	30	ppm	At $25^{\circ}C \pm 3^{\circ}C$
Frequency Stability		-30	2	30	ppm	Related to 25 °C
Drive Level	DL			100	uW	
Operating Temperature Range		-40	۲	85	°C	
Storage Temperature Range		-55	2	125	°C	
Effective Series Resistance	RR			25	Ω	
Shunt Capacitance	C0			5	pF	
Motional Capacitance	C1		N/A		fF	
Ratio Of Capacitance	r		N/A			C0/C1
Aging Rate		-3	2	3	ppm	First Year
Insulation Resistance		500			MOhms	At DC 100V

			Cus	stomer P/N	[
			AK	ER Appro	ved P/N	1	49MN	-02500	0-F-D4	-02	
			AP	PROVED			Ear	nest	SHEE	ET 3	OF
Accurate	e Kinetic I	Energy	PR	EPARED			Ki	ku	REV		A0
. MARK	AING										
	A24	5.000)	\backslash	A	AKE	ER Log	o and F	requenc	сy	
		F3a?	•) 🖌 🦳	— т	vne	and D	ate Cod	e		
		Ja:				JPC					
Type ar	nd Date	Code									
F]	F		3		:	ı		?	
Oscillatio	n	Lo	ad	Frequ	uency		Date	Code		Internal	
Mode Coo	de	Capac	itance	Tole	rance				ide	entificati	on
		Co	ode	Co	ode					code	
Osaillat	tion Mod	la Cada			France	av T	alarana	Codo			
Code		illation N	Iode		Code	-	olerance	Code	Tolerar		
F		t / Funda			1		20 ppm	6	$\pm 50 \text{ pp}$		
Т		t / 3rd O			2		25 ppm	9	±10 pp		
В	BT Cu	t / Funda	imental		3		0 ppm	0	±100 p		
	-				5	±1	5 ppm			<u> </u>	
Load C	apacitar	nce Code	2		Date Co	ode					_
Code	CL	Code	CL		Y	'ear	2017	2018	2019	2020	
S	Series	Р	4				2021	2022	2023	2024	
A	16	Q	39				2025	2026	2027	2028	
B	20	R	12.5		Month	· · · · ·	(4N+1)	(4N+2)	(4N+3)	(4N+0)	
C	30	T U	8		JAN EED		A	N P	a h	n	
D E	18 32	U V	33 7		FEB MAF		B C	P Q	b	p	
F	12	V W	6		APR		D	R R	c d	q r	
G	22	X	17		MAY		E E	S	e u	S	
H	27	Y	8.5		JUN		F	T	f	t	
Ι	10	Z	19.5		JUL		G	U	g	u	
J	14	a	21.5		AUC	j	Н	V	h	V	
	15		24		OFD		т	117			

Please kindly be noted that AKER DO NOT guarantee parts quality which involves human security application.

SEP

OCT

NOV

DEC

J

K

L

М

W

Х

Y

Ζ

i

k

1

m

w

Х

y

Z

K

L

Μ

Ν

15

25

9

13

b

c

d


24


35


37


	Customer P/N			
	AKER Approved P/N	49MN-02500	0-F-D4-02	
Accurate Kinetic Energy	APPROVED	Earnest	SHEET	4 OF 6
Accurate Kinetic Energy	PREPARED	Kiku	REV.	A0

3. DIMENSIONS : (Unit : mm)











4. SUGGESTED LAND PATTERN : (Unit : mm)



5. SOLDERING REFLOW PROFILE



	Customer P/N			
	AKER Approved P/N	49MN-02500	0-F-D4-02	
	APPROVED	Earnest	SHEET	5 OF 6
Accurate Kinetic Energy	PREPARED	Kiku	REV.	A0
6. PACKING : (Unit : mi 6.1 TAPE SPECIFICATION $\begin{array}{c} & & & \\ & & $	n) 1000pcs/reel	Kiku	REV.	A0
*Please kindly be noted that AKER D	Ø132	2 ± 001 2 2 ± 1.0 28 ± 1.5		

A	KER
Ad	curate Kinetic Energy

Customer P/N				
AKER Approved P/N	49MN-025000-F-D4-02			
APPROVED	Earnest	SHEET	6 OF 6	
PREPARED	Kiku	REV.	A0	

7. RELIABILITY SPECIFICATION

No	Test Item	Test Methods	Performance
1	Drop Test	Free drop from 50 cm height onto a hard wooden board for 3 times	
2	Mechanical Shock	1000 G, 0.5 msec, 3 times for each direction (X, Y, Z)	To satisfy the
3	Vibration	Frequency range : 20 ~ 2000 Hz Amplitude : 1.52 mm / 20G Sweep time : 20 minutes Test time for each direction : 2 Hours (Total 6 Hours)	electrical characteristics
4	Gross Leak	Alcohol, Test Pressure : > -40cm-Hg	No bubbles stream
5	Fine Leak	5 kgf/cm ² Helium bombing for 2 Hours	$\leq 10^{-8}$ atm.cc./sec
6	Solderability	Temperature : $260^{\circ}C \pm 5^{\circ}C$ Immersion time : 5 ± 1 seconds	90% min. coverage of new solder
-	Resistance To Soldering Heat High Temperature	Solder pot test Test temperature : $260^{\circ}C \pm 5^{\circ}C$ Test time : 10 ± 1 seconds + $125^{\circ}C \pm 3^{\circ}C$ for 500 ± 12 Hours	
9	Storage Low Temperature Storage	- 55 °C \pm 3 °C for 500 \pm 12 Hours	
10	Temperature Cycle	Total 100 cycles of the following temperature cycle 1 cycle $125^{\circ} \text{ C} \pm 3^{\circ} \text{ C}$ $25^{\circ} \text{ C} \pm 3^{\circ} \text{ C}$ $-55^{\circ} \text{ C} \pm 3^{\circ} \text{ C}$ 15 min.	To satisfy the electrical characteristics
11	High Temperature And Humidity	85° C ± 5°C, RH 85% ± 5%, 500 ± 12 Hours	